

# REPORTS IN INFORMATICS

ISSN 0333-3590

Minimal comparability completions

Pinar Heggernes      Federico Mancini  
Charis Papadopoulos

REPORT NO 317

March 2006



*Department of Informatics*  
**UNIVERSITY OF BERGEN**  
*Bergen, Norway*

This report has URL <http://www.ii.uib.no/publikasjoner/texrap/ps/2006-317.ps>

Reports in Informatics from Department of Informatics, University of Bergen, Norway, is available at <http://www.ii.uib.no/publikasjoner/texrap/>.

Requests for paper copies of this report can be sent to:

Department of Informatics, University of Bergen, Høyteknologisenteret,  
P.O. Box 7800, N-5020 Bergen, Norway

# Minimal comparability completions\*

Pinar Heggenes<sup>†</sup>    Federico Mancini<sup>†</sup>    Charis Papadopoulos<sup>†</sup>

## Abstract

We study the problem of adding edges to a given arbitrary graph so that the resulting graph is a comparability graph, called a comparability completion of the input graph. Computing a comparability completion with the minimum possible number of added edges is an NP-hard problem. Our purpose here is to add an inclusion minimal set of edges to obtain a minimal comparability completion, which means that no proper subset of the added edges is sufficient to create a comparability completion. We show that this problem is solvable in polynomial time. Minimal completions of arbitrary graphs into chordal graphs have been studied extensively, and new results have been added continuously. There has been an increasing interest in minimal completion problems, and minimal completions of arbitrary graphs into interval graphs and into split graphs have been studied recently. We extend these previous results to comparability graphs, and we give a polynomial time algorithm for computing a minimal comparability completion of an arbitrary input graph. We use a vertex incremental approach in this algorithm, and we also give a more general result that describes graph classes  $\Pi$  for which  $\Pi$  completion of arbitrary graphs can be achieved through such a vertex incremental approach.

## 1 Introduction

A graph is a comparability graph if there is a transitive orientation of its edges. The class of comparability graphs is a wide graph class with applications, and many authors have studied it in the past [4]. Any graph can be embedded into a comparability graph by adding edges, and the resulting comparability graph is called a *comparability completion* of the input graph. A *minimum* comparability completion is a comparability completion with the minimum number of edges, and computing such comparability completions is an NP-hard problem [5]. A comparability completion  $H$  of a given graph  $G$  is *minimal* if no proper subgraph of  $H$  is a comparability completion of  $G$ . In this paper we show that a minimal comparability completion of a given graph can be computed in polynomial time.

Minimum and minimal completions into chordal, interval, and split graphs are defined analogously. The motivations for such completion problems come from several different fields, and they are summarized in [12]. Computing a minimum completion of an arbitrary graph into a specific graph class is an NP-hard problem for each of the classes of chordal [16], interval [3], split [12], and comparability [5] graphs. For all these problems, the minimum can be found among the minimal solutions. It was shown already in 1976 that minimal chordal completions (also called *triangulations*) can be computed in polynomial time [14]. Recently, several new results have been published on completion problems, leading to faster algorithms for

---

\*This work is supported by the Research Council of Norway through grant 166429/V30.

<sup>†</sup>Department of Informatics, University of Bergen, N-5020 Bergen, Norway. Emails: {pinar, federico, charis}@ii.uib.no

minimal triangulations [8, 10, 11], a polynomial time algorithm for minimal interval completions [7], and a linear time algorithm for minimal split completions [6], some of which have been presented at recent years' SODA and ESA conferences. Minimal comparability completions have not been studied earlier, and with this paper we expand the knowledge about classes of graphs into which minimal completions of arbitrary graphs can be computed in polynomial time.

Several characterizations of minimal triangulations exist [2, 13, 14]. An algorithmically useful characterization is that a triangulation is minimal if and only if no single fill edge can be removed without destroying chordality [14] (fill edges are the edges added to the original graph to obtain a completion). This nice property holds also for minimal split completions [6], but it does not hold for minimal interval completions, and simple examples exist to show that it does not hold for minimal comparability completions, either. Thus, to obtain a minimal comparability completion, one cannot simply start from an arbitrary comparability completion, and remove single fill edges until no further removal is possible. To overcome this difficulty, we use the following vertex incremental approach: Given an input graph  $G = (V, E)$ , at each main step, we compute a minimal comparability completion of an induced subgraph  $G[U]$  with  $U \subseteq V$ , and  $U$  grows with one single vertex at each step. Furthermore, the minimal comparability completion of a step is computed by adding the new vertex and necessary fill edges to the minimal comparability completion of the previous step. Such an approach has been previously used for minimal triangulations [1] and minimal interval completions [7]. Therefore, we give here sufficient conditions for classes of graphs into which minimal completions of arbitrary graphs can be computed with this vertex incremental approach. Notice, however, that the algorithm for each step is completely different for, and dependent on, each graph class, and polynomial time computability is not guaranteed by the vertex incremental approach. In this paper, we are able to compute minimal comparability completions in polynomial time. Our results rely on a structure called the *incompatibility graph* of a given graph, and the characterization that a graph is comparability if and only if its incompatibility graph is bipartite [9].

This paper is organized as follows. In the next section we give some notation and background on comparability graphs and a new result on vertex incremental minimal completions. In Section 3 we present an algorithm for the vertex incremental step: Given a comparability graph  $G$  (which is the minimal comparability completion of the previous incremental step) and a new vertex  $x$  which is added to  $G$  along with a given set of edges between  $x$  and  $G$ , compute a minimal comparability completion of this augmented graph. We prove the correctness of the given algorithm in Section 4, and discuss the time complexity issues in Section 5. We conclude in Section 6.

## 2 Notation and background

We consider undirected finite graphs with no loops or multiple edges. For a graph  $G$ , we denote its vertex and edge set by  $V(G)$  and  $E(G)$ , respectively, with  $n = |V(G)|$  and  $m = |E(G)|$ . For a vertex subset  $S \subseteq V(G)$ , the subgraph of  $G$  induced by  $S$  is denoted by  $G[S]$ . Moreover, we denote by  $G - S$  the graph  $G[V(G) - S]$  and by  $G - v$  the graph  $G[V(G) - \{v\}]$ .

The *neighborhood*  $N_G(x)$  of a vertex  $x$  of the graph  $G$  is the set of all the vertices of  $G$  which are adjacent to  $x$ . The *closed neighborhood* of  $x$  is defined as  $N_G[x] = N_G(x) \cup \{x\}$ . If  $S \subseteq V(G)$ , then the neighbors of  $S$ , denoted by  $N_G(S)$ , are given by  $\bigcup_{x \in S} N_G(x) - S$ . For a vertex  $x$  of  $G$ , the set  $N_G(N_G(x)) - \{x\}$  is denoted by  $N_G^2(x)$ . For a pair of vertices  $x, y$  of a graph  $G$  we call  $xy$  a *non-edge* of  $G$  if  $xy \notin E(G)$ . A vertex  $x$  of  $G$  is *universal* if  $N_G[x] = V(G)$ .

Given a new vertex  $x \notin V(G)$  and a set of vertices  $N_x$  of  $G$ , we denote by  $G_x$  the graph obtained by adding  $x$  to  $G$  and making  $x$  adjacent to each vertex in  $N_x$ , i.e.,  $V(G_x) = V(G) \cup \{x\}$  and  $E(G_x) = E(G) \cup \{xv \mid v \in N_x\}$ ; thus  $N_{G_x}(x) = N_x$ . For a vertex  $x \notin V(G)$ , we denote by  $G + x$  the graph obtained by adding an edge between  $x$  and *every* vertex of  $V(G)$ , thus  $x$  is *universal* in  $G + x$ .

## 2.1 Comparability graphs

A *digraph* is a directed graph, and an *arc* is a directed edge. We denote an arc by  $(a, b)$  and its transpose by  $(b, a)$ . A directed acyclic graph (*dag*) is *transitive* if, whenever  $(a, b)$  and  $(b, c)$  are arcs of the dag  $(a, c)$  is also an arc. If  $(a, c)$  is not an arc, then arcs  $(a, b)$  and  $(b, c)$  are said to be *incompatible* with each other. An undirected graph is a *comparability* graph if orientations can be assigned to its edges so that the resulting digraph is a transitive dag.

We consider an undirected graph  $G$  to be a symmetric digraph, that is, if  $xy \in E(G)$  then  $(x, y)$  and  $(y, x)$  are arcs of  $G$ . Two arcs  $(a, b)$  and  $(b, c)$  of an undirected graph  $G$  are called *incompatible* if  $ac$  is not an edge of  $G$ . We say that  $(a, b)$  is incompatible with  $(b, c)$  and vice versa, or that  $((a, b), (b, c))$  is an incompatible pair. The *incompatibility graph*  $B_G$  of an undirected graph  $G$  is defined as follows: In  $B_G$  there is one vertex for each arc of  $G$ , and vertices  $(a, b)$  and  $(b, a)$  of  $B_G$  are adjacent, for each edge  $ab$  of  $G$ . In addition, there is an edge between two vertices  $(a, b)$  and  $(b, c)$  of  $B_G$  if and only if arcs  $(a, b)$  and  $(b, c)$  are incompatible in  $G$ . We will refer to the edges of  $B_G$  of this latter type as *incompatibilities*. Since we consider an undirected graph to be a symmetric digraph, if  $(a, b)(b, c)$  is an edge (incompatibility) of  $B_G$  then  $(c, b)(b, a)$  is also an edge (incompatibility) of  $B_G$ . An example of a graph  $G$  and its incompatibility graph  $B_G$  is given in Figure 1.




Figure 1: A graph  $G$  and its incompatibility graph  $B_G$ .

The incompatibility graph will be our main tool to compute minimal comparability completions, and the following result from Kratsch et al. [9] is central to our algorithm.

**Theorem 1 ([9]).** *An undirected graph  $G$  is a comparability graph if and only if its incompatibility graph  $B_G$  is bipartite.*

For our purposes, we also need to define the set of incompatibilities of  $B_G$  implied by a given non-edge  $xv$  of  $G$ . We call this set  $C_G(xv)$ , and define it as follows for each non-edge  $xv$  of  $G$ .

$$C_G(xv) = \{(x, w)(w, v) \mid w \in N_G(x) \cap N_G(v)\} \cup \{(v, w)(w, x) \mid w \in N_G(x) \cap N_G(v)\}$$

Observe that  $C_G(e_1) \cap C_G(e_2) = \emptyset$  for any pair of non-edges  $e_1$  and  $e_2$  of  $G$ , and  $\bigcup_{e \notin E(G)} C_G(e)$  is exactly the set of all incompatibilities in  $B_G$ .

## 2.2 A vertex incremental approach for minimal completions

A comparability graph can be obtained from any graph  $G$  by adding edges, and the resulting graph is called a *comparability completion* of  $G$ . An edge that is added

to  $G$  to obtain a comparability completion  $H$  is called a *fill edge*. A comparability completion  $H = (V, E \cup F)$  of  $G = (V, E)$ , with  $E \cap F = \emptyset$ , is *minimal* if  $(V, E \cup F')$  fails to be a comparability graph for every  $F' \subset F$ . We will now show that minimal comparability completions can be obtained vertex incrementally. In fact, we give a more general result here, describing graph classes into which minimal completions of arbitrary graphs can be computed by a vertex incremental approach.

Let  $\Pi$  be a graph class. Speaking about  $\Pi$  completions (defined analogously to comparability completions) of arbitrary graphs is only meaningful if every graph can be embedded in a graph of  $\Pi$  by adding edges. For example, if complete graphs belong to  $\Pi$  then any graph has a  $\Pi$  completion.

**Property 2.** *We will say that a graph class  $\Pi$  has the universal vertex property if, for every graph  $G \in \Pi$  and a vertex  $x \notin V(G)$ ,  $G + x \in \Pi$ .*

**Lemma 3.** *Let  $H$  be a minimal  $\Pi$  completion of an arbitrary graph  $G$ , and let  $G_x$  be a graph obtained from  $G$  by adding a new vertex  $x$  adjacent to some vertices of  $G$ . If  $\Pi$  is hereditary and has the universal vertex property, then there is a minimal  $\Pi$  completion  $H'$  of  $G_x$  such that  $H' - x = H$ .*

*Proof.* Let  $H_x$  be the graph obtained by adding  $x$  to  $H$  together with the edges between  $x$  and  $N_{G_x}(x)$ . Observe first that a  $\Pi$  completion of  $H_x$  can be obtained by adding edges only incident to  $x$ , since  $H + x \in \Pi$ . Thus, a minimal  $\Pi$  completion of  $H_x$  can be obtained by adding a subset of the edges between  $x$  and  $V(H_x) - N_{G_x}(x)$ . Let  $H'$  be a minimal  $\Pi$  completion of  $H_x$  obtained by adding edges incident to  $x$ . Obviously,  $H' - x = H$ . Assume for the sake of contradiction that  $H'$  is not a minimal  $\Pi$  completion of  $G_x$ . This means that a subset of the newly added edges to  $H_x$  to obtain  $H'$  and a subset of the edges added to  $G$  to obtain  $H$  can be removed from  $H'$  without destroying the  $\Pi$  property. But since  $\Pi$  is hereditary, this contradicts that  $H$  is a minimal  $\Pi$  completion of  $G$ . Thus  $H'$  must be a minimal  $\Pi$  completion of  $G_x$ .  $\square$

An important consequence of Lemma 3 is that for a hereditary graph class  $\Pi$  with the universal vertex property, for which  $\Pi$  completion is meaningful, a minimal  $\Pi$  completion of any input graph  $G$  can be computed by introducing the vertices of  $G$  in an arbitrary order  $x_1, x_2, \dots, x_n$ . Given a minimal  $\Pi$  completion  $H$  of  $G_i = G[x_1, \dots, x_i]$ , we compute a minimal  $\Pi$  completion of  $G_{i+1} = G[x_1, \dots, x_i, x_{i+1}]$  by simply computing a minimal  $\Pi$  completion of the graph  $H_x = (\{x_1, \dots, x_{i+1}\}, E(H) \cup \{x_{i+1}v \mid v \in N_{G_{i+1}}(x_{i+1})\})$ . In this completion, we add *only* fill edges incident to  $x_{i+1}$ .

**Observation 4.** *The class of comparability graphs is hereditary and satisfies the universal vertex property.*

*Proof.* The transitive orientation property is clearly hereditary (see for example [4]). Let  $G$  be a comparability graph and  $x \notin V(G)$ . We will show that  $G + x$  is a comparability graph. We know that  $G$  has a transitive orientation  $D$  of its edges. Let us give the following orientation to the edges of  $G + x$ : For edges of  $G$ , we orient them as in  $D$ . For edges incident to  $x$ , we orient all of them towards  $x$ . Now the pairs of arcs of this digraph that can cause a problem are all of type  $((a, b), (b, x))$ . But since  $x$  is universal,  $ax$  is also an edge of  $G + x$ , and it is oriented towards  $x$ . Thus the described orientation is transitive on  $G + x$ , and therefore  $G + x$  is comparability.  $\square$

Consequently, due to Lemma 3 we can compute a minimal comparability completion of an arbitrary graph  $G$  in the following vertex incremental manner: Start with  $U = \{u\}$  for an arbitrary vertex  $u \in V(G)$ . At each vertex incremental step,

let  $H$  be a minimal comparability completion of  $G[U]$ . Add a new vertex  $x \notin U$  to  $H$ , and add the edges between  $x$  and  $N_G(x) \cap U$ . Compute a minimal comparability completion of this new graph by introducing an appropriate set of fill edges incident to  $x$ . This completion is a minimal comparability completion of  $G[U \cup \{x\}]$  by the above results.<sup>1</sup>

The challenge is how to do the computations of each vertex incremental step. This is exactly the problem that we solve in the rest of this paper. Thus for the rest of the paper, we consider as input a comparability graph  $G$  and a new vertex  $x \notin V(G)$  together with a list of vertices  $N_x$  in  $G$ . Our aim is to compute a minimal comparability completion of  $G_x = (V(G) \cup \{x\}, E(G) \cup \{xv \mid v \in N_x\})$ . We do this by finding an appropriate set of fill edges  $F_x$  incident to  $x$  such that we obtain a comparability graph by adding  $F_x$  to  $G_x$ , and no proper subset  $F_x$  yields a comparability graph when added to  $G_x$ .

### 3 An algorithm for minimal comparability completion of $G_x$

In this section, we give an algorithm that computes a minimal comparability completion  $H$  of  $G_x$ , for a given comparability graph  $G$  and a new vertex  $x \notin V(G)$  together with a neighborhood  $N_x$  in  $G$ . Our main tool will be the incompatibility graph  $B_G$  of  $G$ , which we know is bipartite by Theorem 1. We will proceed to update  $B_G$  with the aim of obtaining the incompatibility graph  $B_{G_x}$  of  $G_x$ . We will keep this partial incompatibility graph a bipartite graph at each step. If  $G_x$  is not a comparability graph, we will have to add fill edges to  $G_x$  to be able to achieve this goal.

Let  $E_x = \{xv \mid v \in N_x\}$ . Our first step in obtaining  $B_{G_x}$  from  $B_G$  is to add vertices corresponding to edges of  $E_x$  and the edges and incompatibilities between these. We will make a separate graph  $B_x$  to represent the incompatibilities among the edges of  $E_x$ . Let  $B_x$  be the graph that has two adjacent vertices  $(x, v)$  and  $(v, x)$  for each  $xv \in E_x$ , and that has all incompatibilities that are implied by non-edges of  $G$  between pairs of its vertices. To be more precise, if  $\mathcal{E} = \{(x, v) \mid xv \in E_x\} \cup \{(v, x) \mid xv \in E_x\}$ , and  $B_{G_x[N_x \cup \{x\}]}$  is the incompatibility graph of  $G_x[N_x \cup \{x\}]$ , then  $B_x$  is the subgraph of  $B_{G_x[N_x \cup \{x\}]}$  induced by  $\mathcal{E}$ . An example is given in Figure 2. Observe that the graph  $G_x[N_x \cup \{x\}]$  is a comparability graph, since  $G[N_x]$  is comparability by the hereditary property, and  $x$  is a universal vertex in  $G_x[N_x \cup \{x\}]$ . Following the above arguments,  $B_x$  is a bipartite graph by Theorem 1.




Figure 2: An example that shows  $G_x$ ,  $B_x$ , and  $B_{G_x}$ , for the graph  $G$  given in Figure 1.

**Lemma 5.** *By adding the set of edges  $C_{G_x}(xv)$  for each  $v \in N_{G_x}^2(x)$  into the graph  $B_G \cup B_x$ , we obtain the incompatibility graph  $B_{G_x}$  of  $G_x$ .*

<sup>1</sup>Note that all minimal comparability completions of  $G$  cannot be created in this way, since by allowing only addition of fill edges incident to the incremental vertex  $x$ , we rule out several possible minimal completions.

*Proof.* Adding a new vertex  $x$  to  $G$  and some edges incident to  $x$ , can only create incompatibilities between pairs of arcs that both have an endpoint in  $x$  and between pairs of arcs where one has an endpoint in  $x$  and the other has an endpoint in  $N_{G_x}^2(x)$ . The incompatibilities of the first type are already present as edges in  $B_x$ . The incompatibilities of the second type are exactly the ones given by  $C_{G_x}(xv)$ . Notice that the graph  $B_G \cup B_x$  does not contain any edges between vertices of  $B_G$  and  $B_x$ . By definition, all vertices of  $B_{G_x}$  (arcs of edges in  $G_x$ ) are contained in  $B_G \cup B_x$ , and  $B_G \cup B_x$  has no further vertices. Hence the result follows.  $\square$

Assume that we want to compute the incompatibility graph  $B_{G_x}$  of  $G_x$ . We start with the partial incompatibility graph  $B_G \cup B_x$ , which is bipartite by the above arguments. By Lemma 5, to get  $B_{G_x}$  it is sufficient to scan all non-edges of  $G_x$  between  $x$  and  $N_{G_x}^2(x)$  one by one, and add the incompatibilities that are implied by each non-edge into the partial incompatibility graph. If  $G_x$  is a comparability graph, then by Theorem 1, the partial incompatibility graph will stay bipartite at each step, since we never delete edges from it. By the same argument, if  $G_x$  is not a comparability graph, then at some step, when we add the incompatibilities implied by a non-edge, we will get an odd cycle in the partial incompatibility graph. For computing a minimal comparability completion  $H$  of  $G_x$ , we augment this approach as follows. If adding the incompatibilities implied by non-edge  $xv$  results in a non-bipartite partial incompatibility graph, then we do not add these incompatibilities, and instead, we decide that  $xv$  should become a fill edge of  $H$ . We note also that at the beginning we start with the partial bipartite graph  $B_x$  in order to force the fill edges to be incident to  $x$ : all the incompatibilities implied by the non-edge  $xv$  can be removed by the addition of the edge  $xv$ .

At start, we let  $L = \{xv \mid v \in N_{G_x}^2(x)\}$ ,  $B = B_G \cup B_x$ , and  $H = G_x$ . For each non-edge  $xv \in L$ , we check whether or not non-edge  $xv$  should become a fill edge of the intermediate graph  $H$ , using the information given by  $C_H(xv)$  and  $B$ . If  $B \cup C_H(xv)$  is a bipartite graph, then we update  $B = B \cup C_H(xv)$  and decide that  $xv$  will never become a fill edge. In the opposite case, we add fill edge  $xv$  to  $H$ , and update  $B$  as follows:

1. Add the two adjacent vertices  $(x, v)$  and  $(v, x)$  in  $B$ ;
2. For each new incompatible pair  $((z, x), (x, v))$  or  $((v, x), (x, z))$  in  $H$ , add the corresponding edge (incompatibility) to  $B$  connecting the vertices of the pair. (We will show that this can never introduce odd cycles in the incompatibility graph.)
3. For each new incompatible pair  $((x, v), (v, u))$  or  $((u, v), (v, x))$  in  $H$ , add the corresponding edge (incompatibility) to  $B$  connecting the vertices of the pair *only if  $xu$  is a non-edge that has already been processed and decided to stay a non-edge*. If not, either  $xu \in L$  or we add it to  $L$ .

The second case takes care of new incompatibilities among the edges incident to  $x$ , and the last case takes care of all other new incompatibilities. In the last case, when we encounter new incompatibilities that are implied by a non-edge  $e$  which we have not yet processed in the edge incremental approach, we do not add these incompatibilities to  $B$  at this stage, and we wait until we come to the step which processes  $e$ . The reason for this is the following. If we add these incompatibilities now, and later decide that  $e$  should become a fill edge, then we have to delete these incompatibilities from  $B$ . This causes problems regarding minimality, because deleting “old” incompatibilities can make some previously added fill edges become redundant. When we do not add the incompatibilities before they are needed, we never have to delete anything from  $B$ , and  $B$  can only grow at each step. This way, the intermediate graph  $B$  will at all steps be a supergraph of  $B_G \cup B_x$  and a subgraph of  $B_H$ . In order to distinguish between the old and the new incompatibilities implied by a non-edge we mark the non-edges of  $H$  according

to whether they have been processed or not. The details of the algorithm called *Minimal\_Comparability\_Completion* (MCC) are given below.

<pre> <b>Algorithm:</b> Minimal_Comparability_Completion (MCC) <b>Input:</b> A comparability graph <math>G = (V, E)</math>, <math>B_G</math>, <math>x \notin V</math>, and a set of           vertices <math>N_x \subseteq V</math> <b>Output:</b> A minimal comparability completion <math>H</math> of <math>G_x</math>, and <math>B = B_H</math> 1  <math>B = B_G \cup B_x</math>; <math>L = \{xv \mid v \in N_{G_x}^2(x)\}</math>; <math>H = G_x</math>; 2  Unmark all non-edges of <math>H</math> incident to <math>x</math>; 3  <b>while</b> <math>L \neq \emptyset</math> <b>do</b> 4      Choose a non-edge <math>xv \in L</math>; 5      <b>if</b> <math>B \cup C_H(xv)</math> is a bipartite graph <b>then</b> 6          <math>B = B \cup C_H(xv)</math>; 7      <b>else</b> 8          Add fill edge <math>xv</math> to <math>H</math>; 9          Add vertices <math>(x, v)</math> and <math>(v, x)</math> and an edge between them to <math>B</math>; 10         <b>forall</b> <math>z \in N_H(x)</math> <b>and</b> <math>z \notin N_H[v]</math> <b>do</b> 11             Add edges <math>(v, x)(x, z)</math> and <math>(z, x)(x, v)</math> to <math>B</math>; 12         <b>forall</b> <math>u \in N_H(v)</math> <b>and</b> <math>u \notin N_H[x]</math> <b>do</b> 13             <b>if</b> <math>xu</math> is marked <b>then</b> // consider only the already processed 14                 Add edges <math>(x, v)(v, u)</math> and <math>(u, v)(v, x)</math> to <math>B</math>; 15             <b>else if</b> <math>xu \notin L</math> <b>then</b> 16                 Add <math>xu</math> to <math>L</math>; 17         <math>L = L - \{xv\}</math>; Mark <math>xv</math>; </pre>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## 4 The proof of correctness of Algorithm MCC

Let us define a *step* of the algorithm to be one iteration of the while-loop given between lines 3–17. For the proof of correctness, we will sometimes need to distinguish between the graph  $H$  at the start of a step and the updated graph  $H$  at the end of a step, to consider the changes made at one step. Throughout the rest of the paper, let  $H_I$  be the graph  $H$  at the start of step  $I$ , and let  $H_{I+1}$  be the graph obtained at the end of this step, and define  $B_I$  and  $B_{I+1}$  analogously. When there is no need to distinguish, we will simply use  $H$  and  $B$ .

**Observation 6.** *Let  $I$  be the step of the algorithm that processes non-edge  $xv \in L$ . Then  $B_I$  contains no edge belonging to  $C_{H_I}(xv)$ .*

*Proof.* Assume for the sake of contradiction that  $B_I$  contains an edge  $(x, w)(w, v)$  belonging to  $C_{H_I}(xv)$ . This can happen only if there is a vertex  $w \in N_{H_I}(x) \cap N_{H_I}(v)$  such that  $xw$  is a fill edge of  $H_I$ . But by line 13 of the algorithm the incompatibility  $(x, w)(w, v)$  cannot have been added at any previous step, since  $xv \in L$  at all previous steps. Thus no edge of  $C_{H_I}(xv)$  is contained in  $B_I$ .  $\square$

**Lemma 7.** *At the end of each step of the algorithm,  $B$  is a subgraph of the incompatibility graph  $B_H$  of  $H$ .*

*Proof.* We prove this by induction on the number of steps. At start,  $B = B_G \cup B_x$  is definitely a subgraph  $B_1 = B_{G_x}$ . Consider any step  $I$  of the algorithm. By the induction hypothesis, we can assume that  $B_I$  is a subgraph of  $B_{H_I}$ , and we must show that  $B_{I+1}$  is a subgraph of  $B_{H_{I+1}}$ .

Let  $xv$  be the non-edge of  $L$  that we process at step  $I$ . If  $B_I \cup C_{H_I}(xv)$  is bipartite then no fill edge is added at this step and we have  $H_{I+1} = H_I$  and thus  $B_{H_{I+1}} = B_{H_I}$ . Note also that  $C_{H_I}(xv)$  is a subset of the edges of  $B_{H_{I+1}}$  by definition. Hence, in this case the graph  $B_{I+1} = B_I \cup C_{H_I}(xv)$  is a subgraph of  $B_{H_{I+1}}$ .

In case the graph  $B_I \cup C_{H_I}(xv)$  is not bipartite,  $B_{I+1}$  is obtained from  $B_I$  by adding two adjacent vertices  $(x, v)$  and  $(v, x)$  and the corresponding incompatibilities induced by the addition of the edge  $xv$  into  $H_I$ . These new edges correspond to incompatible pairs of  $H_{I+1}$  of the form  $((x, v), (v, u))$  or  $((u, v), (v, x))$ , and of the form  $((z, x), (x, v))$  or  $((v, x), (x, z))$ . By definition, the graph  $B_{H_{I+1}}$  contains this kind of edges of  $B_{I+1}$ . We see that all edges added to  $B_I$  to obtain  $B_{I+1}$  are also edges of  $B_{H_{I+1}}$ . Hence the only way  $B_{I+1}$  can fail to be a subgraph of  $B_{H_{I+1}}$  is if  $B_I$  has edges that do not belong to  $B_{H_{I+1}}$ . Assume that there is an incompatibility  $p$  in  $B_I$  which should not be present in  $B_{H_{I+1}}$ . This can happen only if the addition of fill edge  $xv$  removes this incompatibility  $p$  at step  $I$ . This means that  $p$  is an incompatibility implied by the non-edge  $xv$  and thus  $p$  belongs to  $C_{H_I}(xv)$ . But by Observation 6,  $B_I$  contains no edge of  $C_{H_I}(xv)$ , thus this situation cannot happen, and  $B_{I+1}$  is a subgraph of  $B_{H_{I+1}}$ .  $\square$

We have thus proved that  $B$  is at all times a partial incompatibility graph of the intermediate graph  $H$ . At the end of the algorithm, since all non-edges that can cause incompatibilities are scanned, and all such incompatibilities are added, we will argue that  $B$  is indeed the correct incompatibility graph of  $H$ . What remains to prove is that  $B$  is a bipartite graph at all steps. This is obvious if  $xv$  is not added as a fill edge at the step that processes  $xv$ , but it has to be shown in the case  $xv$  is added as a fill edge. First we introduce the notion of conflicts.

**Definition 8.** *At each step of the algorithm, a non-edge  $xv$  of the intermediate graph  $H$  is called a conflict if  $B \cup C_H(xv)$  is not a bipartite graph.*

**Lemma 9.** *Let  $I$  be the step of the algorithm that processes non-edge  $xv \in L$ . If  $xv$  is a conflict then  $H_I$  is not a comparability graph.*

*Proof.* Follows from Lemma 7 and Theorem 1 since an odd cycle in  $B$  cannot disappear by the addition of edges or vertices.  $\square$

Now we start the series of results necessary to prove that at each step  $B$  is a bipartite graph. We will prove this by induction on the number of steps. For each step  $I$ , we will assume that  $B_I$  is bipartite, and show that this implies that  $B_{I+1}$  is bipartite. Since  $B_1 = B_x \cup B_G$  is bipartite, the result will follow.

For the following results, we denote a cycle on  $k$  vertices by  $C_k$  and a path on  $k$  vertices by  $P_k$ . A path or a cycle is *even* or *odd* according to the parity of its number of vertices. Let  $G$  be a graph and  $B_G$  be its incompatibility graph. We denote a path on  $k - 1$  vertices in  $B_G$  in the following form:  $P = (x_1, x_2)(x_2, x_3) \dots (x_{k-1}, x_k)$ . By definition, if a path  $P$  in  $B_G$  connects the vertices  $(x_1, x_2)$  and  $(x_{k-1}, x_k)$  then there exists also the transposed path of  $P$  denoted by  $P^T$  which connects the vertices  $(x_k, x_{k-1})$  and  $(x_2, x_1)$ , i.e.,  $P^T = (x_k, x_{k-1}) \dots (x_3, x_2)(x_2, x_1)$ . Recall also that there is always an edge  $(x, y)(y, x)$  in  $B_G$  for each edge  $xy$  in  $G$ .

Assume that  $B_I$  is bipartite and  $xv$  is conflict at step  $I$ . The graph  $B_{I+1}$  which is obtained after adding the edge  $xv$  contains an odd cycle only if there is a path on even number of vertices in  $B_I$  between one of the following pair of vertices: (i)  $(x, z_1), (x, z_2)$  or (ii)  $(v, u_1), (v, u_2)$  or (iii)  $(x, z_1), (u_1, v)$ , where  $z_1, z_2$  and  $u_1, u_2$




Figure 3: Adding the fill edge  $xv$  in  $B$ .

are vertices of  $H_I$  which fulfill the conditions of the first for-loop and the second for-loop, respectively (see Figure 3). Note that for symmetry reasons if there is no even path connecting  $(x, z_1)$  and  $(x, z_2)$  then there is no even path between  $(z_1, x)$  and  $(z_2, x)$ . The same argument holds for the transposed paths of cases (ii) and (iii). Our goal is to show that these cases cannot appear in  $B_I$  so that  $B_{I+1}$  remains a bipartite graph. We prove each case by showing that if such a path exists then there is an odd cycle in  $B_I$  which is a contradiction to our assumption that  $B_I$  is a bipartite graph.

**Lemma 10.** *If there is an even (respectively, odd) path connecting vertices  $(a, b)$  and  $(c, d)$  of  $B_G$  then it has the following form:*

$$P_{k+3} = (a, b)(b, q_1)(q_1, q_2)(q_2, q_3) \dots (q_{k-1}, q_k)(q_k, c)(c, d),$$

where  $k$  is an odd (respectively, even) number,  $aq_1, bq_2, q_kd, cq_{k-1} \notin E(G)$ , and  $q_iq_{i+2} \notin E(G)$  for  $1 \leq i \leq k-2$ .

*Proof.* By the definition of the edges of the incompatibility graph  $B_G$  we have two types of edges among two vertices of  $B_G$ : either  $(a, b)(b, c)$  or  $(b, a)(c, b)$  such that  $ab \notin E(G)$ . The form of the path shown in the lemma uses only the first kind of edges. But any edge (path on two vertices) of the kind  $(b, a)(c, b)$  can be turned into a path on four vertices using only the first form of edges:  $(b, a)(a, b)(b, c)(c, d)$ . Thus an even or odd path between two vertices of  $B_G$  has the form of the equation as shown and the constraints for the non-edges are justified by definition; otherwise there is no path connecting the vertices.  $\square$

Suppose that  $B_I$  is bipartite. If  $xv$  is a conflict at step  $I$ , then there is an inclusion maximal subset  $C'_{H_I}(xv)$  of  $C_{H_I}(xv)$  such that  $B_I \cup \{C'_{H_I}(xv)\}$  is a bipartite graph. For the rest of this section we define  $B'_I = B_I \cup \{C'_{H_I}(xv)\}$ . Thus if  $B_I$  is bipartite, so is  $B'_I$ , and any of the incompatibilities of  $C_{H_I}(xv) \setminus C'_{H_I}(xv)$  results in an odd cycle if added to  $B'_I$ . This is formalized in the following observation.

**Observation 11.** *Assume that  $B_I$  is bipartite. If  $xv$  is a conflict at step  $I$ , then there is a path on odd number of vertices in  $B'_I$  connecting  $(x, w)$  and  $(w, v)$ , for some  $w \in N_{H_I}(x) \cap N_{H_I}(v)$ .*

**Observation 12.** *Assume that  $B_I$  is bipartite. If  $xv$  is a conflict at step  $I$ , then there is a path in  $B'_I$  of the form:*

$$P_{xv} = (x, w)(w, p_1)(p_1, p_2) \dots (p_{\ell-1}, p_\ell)(p_\ell, w)(w, v),$$

where  $\ell$  is an even number,  $x \neq p_\ell$  and  $v \neq p_1$ .

*Proof.* By Lemma 10,  $P_{xv}$  contains  $\ell + 3$  vertices. Notice that by the definition of the odd path,  $xp_1, p_{\ell-1}w, p_\ell v \notin E(H_I)$ , and  $\ell$  is an even number by the odd number of vertices in  $P_{xv}$ . Since  $xv$  is a conflict the incompatibility  $(x, w)(w, v)$  is not present in  $B'_I$  and thus  $x \neq p_\ell$  and  $v \neq p_1$ .  $\square$

Now let us show that the incompatibilities added during the first forall-loop starting at line 10 do not create any odd cycles.

**Lemma 13.** *Assume that  $B_I$  is bipartite. If  $xv$  is a conflict at step  $I$  then there is no path on even number of vertices connecting  $(x, z_1)$  and  $(x, z_2)$  in  $B'_I$ , for every pair of vertices  $z_1, z_2$  such that  $z_1, z_2 \in N_{H_I}(x)$  and  $z_1, z_2 \notin N_{H_I}[v]$ .*

*Proof.* Assume for the sake of contradiction that there is such an even path connecting them. Then by Lemma 10 it has the following form:

$$P_z = (x, z_1)(z_1, q_1)(q_1, q_2) \dots (q_{k-1}, q_k)(q_k, x)(x, z_2),$$

where  $k \geq 3$  is an odd number. If  $k = 1$  then there is no path on even number of vertices connecting  $(x, z_1)$  and  $(x, z_2)$ . Observe that the path  $P_z$  contains  $k + 3$  vertices. Notice that  $xq_1, z_1q_2 \notin E(H_I)$  and  $z_2q_k, xq_{k-1} \notin E(H_I)$  and  $q_iq_{i+2} \notin E(H_I)$ , for  $1 \leq i \leq k - 2$ ; otherwise there is no even path (see also Lemma 10). Considering the path  $P_z$  in  $B'_I$ , we have to distinguish between when  $z_1$  and  $z_2$  are adjacent in  $H_I$  and when they are not. We will prove that in each case there is an odd cycle in  $B'_I$  which is a contradiction since  $B'_I$  is a bipartite graph.

- *Case 1:*  $z_1z_2 \notin E(H_I)$ .

In this case it is easy to see that appending the pairs  $(z_2, x)$  and  $(x, z_1)$  in  $P_z$  we obtain an odd cycle in  $B'_I$ :

$$C_{k+4} = P_z \underbrace{(z_2, x)(x, z_1)}_{z_1z_2 \notin E(H_I)}.$$

- *Case 2:*  $z_1z_2 \in E(H_I)$ .

In this case we have to consider also the fact that  $xv$  is a conflict. By Observation 11 there is a vertex  $w$  which induces an odd path  $P_{xv}$  in  $B'_I$ . We distinguish between the cases where  $w$  is (i) non-adjacent to both  $z_1, z_2$ , (ii) adjacent only to one of them and (iii) adjacent to both of them.

- *Case 2.1:*  $wz_1 \notin E(H_I)$  and  $wz_2 \notin E(H_I)$ .

In this case it is easy to see that the following odd cycle occurs in  $B'_I$ :

$$C_{k+6} = (w, x)P_z \underbrace{(z_2, x)(x, w)}_{wz_2 \notin E(H_I)}(w, x).$$

- *Case 2.2:*  $wz_1 \notin E(H_I)$  and  $wz_2 \in E(H_I)$ .

By Observation 12 there is an odd path  $P_{xv}$  connecting  $(x, w)$  and  $(w, v)$  in  $B'_I$ ; recall that the path  $P_{xv}$  contains  $\ell + 3$  vertices, where  $\ell$  is an even number and  $xp_1 \notin E(H_I)$ . Here we prove that if there is an even path which connects  $(x, z_1)$  and  $(x, z_2)$  then there is a path  $P_{z_2z_1}$  on  $r$  vertices where  $r$  is an even number which connects  $(z_2, z_1)$  and  $(z_1, x)$ . Hence the result follows based on the path  $P_{z_2z_1}$ , since the following odd cycle appears in  $B'_I$ :

$$C_{\ell+r+5} = (w, z_2)P_{z_2z_1}P_{xv}(v, w)(w, z_2).$$

In order to prove the existence of the path  $P_{z_2z_1}$ , notice that by the definition of the path  $P_z$  we have the following non-edges:  $xq_1, xq_{k-1}, z_1q_2, z_2q_k$  and  $q_iq_{i+2}$ , for  $1 \leq i \leq k - 2$ . If  $z_1q_k \notin E(H_I)$  then we have the following odd cycle:

$$C_{k+2} = (x, z_1)(z_1, q_1)(q_1, q_2) \dots (q_{k-1}, q_k)(q_k, x)(x, z_1).$$

In case  $z_1q_k \in E(H_I)$  we have the following three cases to consider: If  $z_1q_i \in E(H_I)$ ,  $1 \leq i \leq k$  then we have the following even path ( $r = k+3$ ):

$$P_{z_2z_1} = (z_2, z_1)(z_1, q_k)(q_k, z_1)(z_1, q_{k-2}) \dots (q_3, z_1)(z_1, q_1)(q_1, z_1)(z_1, x).$$

If  $z_1q_i \notin E(H_I)$ ,  $z_1q_{i+1}, z_1q_{i+2}, \dots, z_1q_k \in E(H_I)$ , and  $i$  is an even number,  $1 < i < k$ , then we have the following even path ( $r = k+3$ ):

$$P_{z_2z_1} = (z_2, z_1) \underbrace{(z_1, q_k)(q_k, z_1)(z_1, q_{k-2}) \dots (z_1, q_{i+1})(q_{i+1}, q_i)}_{k-i+1} P_{i+1},$$

where  $P_{i+1} = (q_i, q_{i-1})(q_{i-1}, q_{i-2}) \dots (q_1, z_1)(z_1, x)$ .

If  $z_1q_i \notin E(H_I)$ ,  $z_1q_{i+1}, z_1q_{i+2}, \dots, z_1q_k \in E(H_I)$  and  $i$  is an odd number,  $1 < i < k$ , then we have the following odd cycle in  $B'_I$ :

$$C_{k+2} = (x, z_1) \underbrace{(z_1, q_{k-1})(q_{k-1}, z_1)(z_1, q_{k-3}) \dots (z_1, q_{i+1})(q_{i+1}, q_i)}_{k-i} P_{i+2},$$

where  $P_{i+2} = (q_i, q_{i-1})(q_{i-1}, q_{i-2}) \dots (q_1, z_1)(z_1, x)(x, z_1)$ .

– *Case 2.3:*  $wz_1 \in E(H_I)$  and  $wz_2 \in E(H_I)$ .

In this case we prove that if there is an even path  $P_z$  which connects  $(x, z_1)$  and  $(x, z_2)$  then there is either (i) a path  $P_{xz_1}$  (resp.  $P_{xz_2}$ ) on  $r_1$  vertices where  $r_1$  is an even number which connects  $(x, w)$  and  $(w, z_1)$  (resp.  $(w, z_2)$ ) or (ii) a path  $P_{wz}$  on  $r_2$  vertices where  $r_2$  is an even number which connects  $(w, z_1)$  and  $(w, z_2)$ . In both cases the result follows since if (i) holds then the following odd cycle appears in  $B'_I$  (notice that  $z_1v, z_2v \notin E(H_I)$ ):

$$C_{\ell+r_1+5} = P_{xv}^T P_{xz_1}(z_1, w)(w, v)(v, w),$$

and if (ii) holds then we have the following odd cycle:

$$C_{r_2+3} = (v, w)P_{wz}(z_2, w)(w, v)(v, w).$$

To justify the existence of the paths  $P_{xz_1}$  and  $P_{xz_2}$ , observe first that if  $wq_1 \notin E(H_I)$  and  $wq_k \notin E(H_I)$  then we have the following even path ( $r_1 = k+5$ ):

$$P_{xz_1} = (x, w) \underbrace{(w, x)(x, q_k)(q_k, q_{k-1}) \dots (q_2, q_1)(q_1, z_1)(z_1, w)}_{k+3} (w, z_1).$$

If  $wq_i \in E(H_I)$ ,  $1 \leq i \leq k$ , then we have the following even path ( $r = k+1$ ):

$$P_{xz_1} = (x, w) \underbrace{(w, q_{k-1})(q_{k-1}, w)(w, q_{k-3})(q_{k-3}, w) \dots (q_4, w)(w, q_2)(q_2, w)}_{k-1} (w, z_1).$$

Now in all other cases let  $q_jw \notin E(H_I)$  and  $q_1w, q_2w, \dots, q_{j-1}w \in E(H_I)$ , and let  $q_iw \notin E(H_I)$  and  $q_{i+1}w, q_{i+2}w, \dots, q_kw \in E(H_I)$ ,  $1 \leq j \leq i \leq k$ . Depending on the values of  $i$  and  $j$ , we have the following four cases to consider:

• If  $i$  is an odd number and  $j$  is an even number then we have the following odd cycle in  $B'_I$ :

$$C_{k+2} = (x, w)P_j \underbrace{(q_j, q_{j+1}) \dots (q_{i-1}, q_i)}_{i-j} P_{k-i}(w, x)(x, w),$$

where  $P_j = (w, q_1)(q_1, w)(w, q_3)(q_3, w) \dots (q_{j-3}, w)(w, q_{j-1})(q_{j-1}, q_j)$   
and  $P_{k-i} = (q_i, q_{i+1})(q_{i+1}, w)(w, q_{i+3}) \dots (q_{k-3}, w)(w, q_{k-1})(q_{k-1}, w)$ .

• If  $i$  is an odd number and  $j$  is an odd number then we have the following even path ( $r_1 = k + 1$ ):

$$P_{xz_1} = (x, w)P_{k-i} \underbrace{(q_i, q_{i-1}) \dots (q_{j+1}, q_j)}_{i-j} P_{j-1}(w, z_1),$$

where  $P_{j-1} = (q_j, q_{j-1})(q_{j-1}, w)(w, q_{j-3}) \dots (w, q_4)(q_4, w)(w, q_2)(q_2, w)$   
and  $P_{k-i} = (w, q_{k-1})(q_{k-1}, w)(w, q_{k-3}) \dots (q_{i+3}, w)(w, q_{i+1})(q_{i+1}, q_i)$ .

• If  $i$  is an even number and  $j$  is an even number then we have the following even path ( $r_1 = k + 3$ ):

$$P_{xz_2} = (x, w)P_j \underbrace{(q_j, q_{j+1}) \dots (q_{i-1}, q_i)}_{i-j} P_{k-i+1}(w, z_2),$$

where  $P_j = (w, q_1)(q_1, w)(w, q_3)(q_3, w) \dots (q_{j-3}, w)(w, q_{j-1})(q_{j-1}, q_j)$   
and  $P_{k-i+1} = (q_i, q_{i+1})(q_{i+1}, w)(w, q_{i+3}) \dots (q_{k-2}, w)(w, q_k)(q_k, w)$ .

• If  $i$  is an even number and  $j$  is an odd number then we have the following even path ( $r_2 = k + 3$ ):

$$P_{wz} = (w, z_1)(z_1, w)P_{j-1} \underbrace{(q_j, q_{j+1}) \dots (q_{i-1}, q_i)}_{i-j} P_{k-i+1}(w, z_2),$$

where  $P_{j-1} = (w, q_2)(q_2, w)(w, q_4)(q_4, w) \dots (q_{j-3}, w)(w, q_{j-1})(q_{j-1}, q_j)$   
and  $P_{k-i+1} = (q_i, q_{i+1})(q_{i+1}, w)(w, q_{i+3}) \dots (q_{k-2}, w)(w, q_k)(q_k, w)$ .

□

Now we show that adding the incompatibilities at the second for-all-loop starting at line 12 does not create an odd cycle, if we skip the first for-all loop starting at line 10.

**Lemma 14.** *Assume that  $B_I$  is bipartite. If  $xv$  is a conflict at step  $I$ , then there is no path on even number of vertices connecting  $(v, u_1)$  and  $(v, u_2)$  in  $B'_I$ , for every pair of vertices  $u_1, u_2$  such that  $u_1, u_2 \in N_{H_I}(v)$ ,  $u_1, u_2 \notin N_{H_I}[x]$  and  $xu_1, xu_2$  are marked non-edges.*

*Proof.* Notice that the incompatibilities  $(x, w)(w, u_1)$  and  $(x, w)(w, u_2)$  are present in  $B'_I$  since  $xu_1$  and  $xu_2$  are marked non-edges. Thus if we swap vertices  $x$  and  $v$ , and if we set  $u_1$  and  $u_2$  to be  $z_1$  and  $z_2$ , respectively, then the proof is similar (identical) to that of Lemma 13. □

Thus we have seen that each of the two for-all-loops maintains the bipartite graph if we skip the other for-all loop. Let us now show that together they do not create a problem.

**Lemma 15.** *Assume that  $B_I$  is bipartite. If  $xv$  is a conflict at step  $I$ , then there is no path on even number of vertices connecting  $(x, z_1)$  and  $(u_1, v)$  in  $B'_I$ , for every pair of vertices  $z_1, u_1$  such that  $u_1 \in N_{H_I}(v)$ ,  $u_1 \notin N_{H_I}[x]$ ,  $xu_1$  is a marked non-edge and  $z_1 \in N_{H_I}(x)$ ,  $z_1 \notin N_{H_I}[v]$ .*

*Proof.* Assume for the sake of contradiction that there is an even path  $P_{zu}$  connecting them. By Lemma 10 this path has the following form:

$$P_{zu} = (x, z_1)(z_1, y_1) \dots (y_s, u_1)(u_1, v),$$

where  $s \geq 1$  is an odd number. Hence the path  $P_{zu}$  contains  $s + 3$  vertices. We will prove that in this case there is an odd cycle in  $B'_I$  which is a contradiction since  $B'_I$  is a bipartite graph. First we prove that if  $z_1 u_1 \in E(H_I)$  then we have the following odd cycle in  $B'_I$  by the fact that  $z_1 \notin N_{H_I}[v]$  and  $u_1 \notin N_{H_I}[x]$ :

$$C_{s+6} = P_{zu}(v, u_1)(u_1, z_1)(z_1, x)(x, z_1).$$

Notice that if  $z_1 u_1 \in E(H_I)$  and  $s = 1$  then there no path on even number of vertices connecting  $(x, z_1)$  and  $(u_1, v)$  in  $B'_I$ . Thus we continue by knowing that  $z_1 u_1 \notin E(H_I)$  and  $s \geq 1$ . Notice also that by Observation 11 there is a vertex  $w$  which induces a path  $P_{xv}$  with  $\ell + 3$  vertices in  $B'_I$ , where  $\ell$  is an even number. We distinguish four cases according to whether  $w$  is adjacent or not to  $z_1$  or/and  $v_1$ :

- *Case A:  $wz_1 \notin E(H_I)$  and  $wu_1 \notin E(H_I)$ .*

It is easy to see that the following odd cycle appears in  $B'_I$ :

$$C_{\ell+s+6} = P_{zu}P_{xv}^T(x, z_1).$$

- *Case B:  $wz_1 \in E(H_I)$  and  $wu_1 \notin E(H_I)$ .*

Here we have two cases to consider according to whether or not  $wy_1 \in E(H_I)$ . In both cases we prove that an odd cycle appears in  $B'_I$ . First notice that if  $wy_1 \notin E(H_I)$  then the following odd cycle occurs in  $B'_I$ :

$$C_{s+4} = (w, z_1) \underbrace{(z_1, y_1)(y_1, y_2) \dots (y_{s-1}, y_s)(y_s, u_1)}_{s+1} (u_1, v)(v, w)(w, z_1).$$

Also notice that if  $wy_i \in E(H_I)$  for  $1 \leq i \leq s$  then we have the following odd cycle:

$$C_{s+\ell+6} = (x, w) \underbrace{(w, y_1)(y_1, w)(w, y_3) \dots (w, y_s)}_s (y_s, u_1)(u_1, v)P_{xv}^T(x, w).$$

In case  $wy_1, wy_2, \dots, wy_{i-1} \in E(H_I)$  and  $wy_i \notin E(H_I)$  then we distinguish two cases according to the value of  $i$ . If  $i$  is an odd number then the following odd cycle appears in  $B'_I$ :

$$C_{s+4} = (w, z_1)(z_1, w)P_{i-1} \underbrace{(y_i, y_{i+1}) \dots (y_s, u_1)}_{s-i+1} (u_1, v)(v, w)(w, z_1),$$

where  $P_{i-1} = (w, y_2)(y_2, w)(w, y_4) \dots (y_{i-3}, w)(w, y_{i-1})(y_{i-1}, y_i)$ .

Otherwise ( $i$  is an even number) we have:

$$C_{s+\ell+6} = (x, w)P_i \underbrace{(y_i, y_{i+1}) \dots (y_s, u_1)}_{s-i+1} (u_1, v)P_{xv}(x, w),$$

where  $P_i = (w, y_1)(y_1, w)(w, y_3) \dots (y_{i-3}, w)(w, y_{i-1})(y_{i-1}, y_i)$ .

- *Case C:  $wz_1 \in E(H_I)$  and  $wu_1 \notin E(H_I)$ .*

This case is similar (symmetric) to the previous one. By swapping vertices  $z_1$  and  $u_1$  we conclude to the same result; notice that the incompatibility  $(x, w)(w, u_1)$  is present in  $B'_I$  since  $xu_1$  is a marked non-edge of  $H_I$ .

- *Case D:  $wz_1 \in E(H_I)$  and  $wu_1 \in E(H_I)$ .*

Here we obtain the following odd cycle in  $B'_I$ :

$$C_{\ell+9} = (z_1, w)(w, v)P_{xv}^T(x, w)(w, u_1)(u_1, w)(w, z_1)(z_1, w).$$

□

Now we are ready to reach the desired result.

**Lemma 16.** *At each step of the algorithm  $B$  is a bipartite graph.*

*Proof.* At the beginning of the algorithm, we know that  $B_G \cup B_x$  is bipartite, and that all possible conflicts of  $G_x$  are contained in  $L$ . Assume that  $B_I$  is a bipartite graph. We show that  $B_{I+1}$  is also a bipartite graph. At step  $I$ , we have two cases to consider. If  $H_{I+1} = H_I$ , then this is because  $B_{I+1} = B_I \cup C_{H_I}(xv)$  is a bipartite graph. Let  $H_{I+1}$  be obtained from  $H_I$  by adding fill edge  $xv$ . Then  $B_{I+1}$  is obtained from  $B_I$  by adding an isolated edge  $(x, v)(v, x)$ , and some incompatibilities incident to the endpoints of this edge, implied by non-edges outside of  $L$ . These incompatibilities are added by the first for-loop at line 10 and the second for-loop at line 12.

For the first for-loop if the set  $N_{H_{I+1}}(x) \cap N_{H_{I+1}}[v]$  contains only one vertex, say  $z_1$ , then there is an even cycle in  $B_{I+1}$  formed by the vertices  $(x, v), (v, z_1), (v, x), (z_1, v)$  and no odd cycle is created in  $B_{I+1}$ . It is easy to see that the same argument (for one vertex  $u_1$ ) holds for the second for-loop. Now in general notice that any odd cycle created in  $B_{I+1}$  will still be an odd cycle in  $B'_{I+1}$  by Observation 11 since  $B_{I+1} \subseteq B'_{I+1}$ . But since  $B'_I$  is bipartite any odd cycle in  $B'_{I+1}$  can be created only if (i)  $(x, z_1), (x, z_2)$  or (ii)  $(v, u_1), (v, u_2)$  or (iii)  $(x, z_1), (u_1, v)$  are connected with a path on even number of vertices in  $B'_I$  for any two vertices  $z_1, z_2$  and  $u_1, u_2$  which fulfill the conditions of the first for-loop and the second for-loop, respectively (see Figure 3). Thus by Lemmata 13–15 we justify that the corresponding cases cannot exist and therefore  $B'_I$  remains bipartite by applying the two for-loops, i.e.,  $B'_{I+1}$  is a bipartite graph. Hence the result follows by Observation 11. □

By using the fact that the graph  $B$  computed by Algorithm MCC is a bipartite graph we have the following result.

**Theorem 17.** *The graph  $H$  returned by Algorithm MCC is a minimal comparability completion of  $G_x$ .*

*Proof.* First we show that  $H$  is a comparability completion of  $G_x$ . During the algorithm, every time a new incompatible pair is created, the corresponding incompatibility is added to  $B$  unless it is implied by a non-edge of  $L$ . Incompatibilities implied by members of  $L$  that remain non-edges are added one by one until  $L$  is empty. At the end of the algorithm, the graph  $B$  contains all incompatibilities implied by the non-edges in  $H$ , since  $L = \emptyset$ . Thus  $B$  is the correct incompatibility graph of  $H$ , i.e.,  $B = B_H$ . Since  $B_H$  is bipartite graph by Lemma 16, the resulting graph  $H$  is a comparability graph by Theorem 1.

Now we want to prove that  $H$  is minimal, that is, if any subset of the fill edges is removed the remaining graph is not comparability. Recall that at any step of the algorithm we do not remove any edges from the graph  $B$  (see also Lemma 7). Assume for the sake of contradiction that there is a subset  $F$  of the fill edges such that  $H' = H - F$  is a comparability graph. First note that  $B_{H'}$  is obtained from  $B_H$  by removing the vertices  $(x, u)$  and  $(u, x)$ , and then adding the set  $C_{H'}(xu)$ , for every  $xu \in F$ . Let  $I$  be the earliest step in which Algorithm MCC adds a fill edge  $xv \in F$ . Thus no non-edge of  $G_x$  belonging to  $F$  has been processed before step  $I$ , and  $H_I$  is a subgraph of  $H'$ . Furthermore,  $B_I$  does not contain any edge belonging to  $\bigcup_{xu \in F} C_{H'}(xu)$ , and  $B_I$  does not contain any pair of vertices  $(x, u)$  and  $(u, x)$ , for  $xu \in F$ . Thus  $B_I$  is a subgraph of  $B_{H'}$ . Now, observe that for each  $xu \in F$ ,  $C_{H_I}(xu) \subseteq C_{H'}(xu)$ , since  $N_{H_I}(x) \subseteq N_{H'}(x)$ . In particular,  $C_{H_I}(xv) \subseteq C_{H'}(xv)$ . Since  $xv$  is a non-edge of  $H'$ , all edges of  $C_{H'}(xv)$  are present in  $B_{H'}$ . Therefore  $B_I \cup C_{H_I}(xv)$  is a subgraph of  $B_{H'}$ . In Algorithm MCC, at step  $i$ , we know that

$B_I \cup C_{H_I}(xv)$  contains an odd cycle, otherwise  $xv$  would not be a fill edge. Since it is not possible to remove an odd cycle by adding edges or vertices, this means that there is an odd cycle in  $B_{H'}$ . This gives the desired contradiction, because by Theorem 1  $H'$  cannot be a comparability graph as assumed.  $\square$

## 5 Time complexity of minimal comparability completions of arbitrary graphs

Let  $G$  be an arbitrary graph on  $n$  vertices and  $m$  edges.

**Observation 18.** *The incompatibility graph of a given graph has  $O(mn)$  edges.*

*Proof.* Let  $G$  be a graph on  $n$  vertices and  $m$  edges, and let  $B_G$  be its incompatibility graph. By definition  $B_G$  has precisely  $2m$  vertices. Clearly  $B_G$  contains  $m$  edges of the form  $(a, b)(b, a)$ . For the other edges of  $B_G$  (incompatibilities) it is easy to see that each edge of  $G$  (two vertices of  $B_G$ ) can define at most  $O(n)$  incompatibilities in  $B_G$  since they are induced by the neighbors of its endpoints in  $G$ . Thus  $B_G$  has  $O(nm)$  edges.  $\square$

**Lemma 19.** *Given a comparability graph  $G$  and its incompatibility graph  $B_G$ , Algorithm MCC computes a minimal comparability completion of  $G_x$  in  $O(n^2m)$  time.*

*Proof.* Let  $G$  be a comparability graph on  $n$  vertices and  $m$  edges, and let  $B_G$  be its incompatibility graph. Since only non-edges incident to  $x$  are processed,  $|L| = O(n)$ , and since non-edges removed from  $L$  are never reinserted in  $L$ , the algorithm has  $O(n)$  steps. By Observation 18  $B_G$  has  $O(nm)$  edges. Since  $|N_x| = O(n)$ ,  $B_x$  has  $O(n)$  vertices and thus  $O(n^2)$  edges. At each of the  $O(n)$  steps, we can add at most  $O(n)$  edges to  $B$  since  $|C_H(xv)| = O(n)$  for each  $xv \in L$ . Thus at all steps  $B$  has  $O(nm)$  edges. What dominates our time complexity is to check whether or not  $B \cup C_H(xv)$  is bipartite. This check can be done in time linear in the size of  $B$ , namely  $O(nm)$ . Therefore, each step of the algorithm requires  $O(nm)$  time, which gives a total running time of  $O(n^2m)$ .  $\square$

We point out that given an incompatible pair  $((a, b)(b, c))$  of  $G$  there is an  $O(n + m)$  time algorithm deciding whether its incompatibility graph has an odd cycle [9]. However, it is not straightforward to use this result for checking whether the graph  $B \cup C_H(xv)$  of Algorithm MCC is bipartite in  $O(n + m)$  time, since at each step of the algorithm,  $B$  is merely a subgraph of  $B_H$ , and  $B \neq B_H$  until the last step. The following result follows from Lemma 3, Lemma 19, and Algorithm MCC.

**Theorem 20.** *There is an algorithm for computing a minimal comparability completion of an arbitrary graph  $G$  in  $O(n^3m)$  time.*

## 6 Concluding Remarks

In this paper, we have shown that minimal comparability completions of arbitrary graphs can be computed in polynomial time. Our focus has been on the polynomial time complexity, and we believe that the running time of the given algorithm can be improved. Comparability graphs can be recognized in time  $O(n^{2.38})$  [15], and even the straight forward  $O(n^3m)$  time complexity of our algorithm for computing minimal comparability completions is thus comparable to the time complexity of recognizing comparability graphs. As a comparison, both chordal and interval

graphs can be recognized in linear time; the best known time for minimal chordal completions is  $O(n^{2.38})$  [8], and for minimal interval completions is  $O(n^5)$  [7].

Although minimal comparability completions can be computed in polynomial time, this does not imply that the following problem is solvable in polynomial time: Given a comparability completion  $H$  of an arbitrary graph  $G$ , is  $H$  a minimal comparability completion of  $G$ ? We would like to know whether this problem can be solved in polynomial time. It should be mentioned that the corresponding problem is polynomial for chordal, interval, and split completions.

We conclude with another open problem: Are there any graph classes  $\Pi$  which can be recognized in polynomial time, such that computing minimal  $\Pi$  completions of arbitrary graphs is an NP-hard problem?

## References

- [1] A. Berry, P. Heggernes, and Y. Villanger. A vertex incremental approach maintaining chordality. *Discrete Math.*, 306(3):318–336, 2006.
- [2] V. Bouchitté and I. Todinca. Treewidth and minimum fill-in: Grouping the minimal separators. *SIAM J. Comput.*, 31:212–232, 2001.
- [3] M. R. Garey and D. S. Johnson. *Computers and Intractability*. W. H. Freeman and Co., 1978.
- [4] M. C. Golumbic. *Algorithmic Graph Theory and Perfect Graphs*. Academic Press, 1980.
- [5] S. L. Hakimi, E. F. Schmeichel, and N. E. Young. Orienting graphs to optimize reachability. *Information Processing Letters*, 63(5):229–235, 1997.
- [6] P. Heggernes and F. Mancini. Minimal split completions of graphs. In *LATIN 2006: Theoretical Informatics*, pages 592–604. Springer Verlag, 2006. LNCS 3887.
- [7] P. Heggernes, K. Suchan, I. Todinca, and Y. Villanger. Minimal interval completions. In *Algorithms - ESA 2005*, pages 403 – 414. Springer Verlag, 2005. LNCS 3669.
- [8] P. Heggernes, J. A. Telle, and Y. Villanger. Computing minimal triangulations in time  $O(n^\alpha \log n) = o(n^{2.376})$ . In *Proceedings of SODA 2005 - 16th Annual ACM-SIAM Symposium on Discrete Algorithms*, pages 907–916, 2005.
- [9] D. Kratsch, R. M. McConnell, K. Mehlhorn, and J. P. Spinrad. Certifying algorithms for recognizing interval graphs and permutation graphs. *SIAM J. Comput.*, 2006. To appear.
- [10] D. Kratsch and J. P. Spinrad. Between  $O(nm)$  and  $O(n^\alpha)$ . In *Proceedings of SODA 2003 - 14th Annual ACM-SIAM Symposium on Discrete Algorithms*, pages 709–716, 2003.
- [11] D. Kratsch and J. P. Spinrad. Minimal fill in  $o(n^3)$  time. *Discrete Math.*, 306(3):366–371, 2006.
- [12] A. Natanzon, R. Shamir, and R. Sharan. Complexity classification of some edge modification problems. *Disc. Appl. Math.*, 113:109–128, 2001.
- [13] A. Parra and P. Scheffler. Characterizations and algorithmic applications of chordal graph embeddings. *Disc. Appl. Math.*, 79:171–188, 1997.

- [14] D. Rose, R.E. Tarjan, and G. Lueker. Algorithmic aspects of vertex elimination on graphs. *SIAM J. Comput.*, 5:266 – 283, 1976.
- [15] J. Spinrad. On comparability and permutation graphs. *SIAM J. Comput.*, 14:658 – 670, 1985.
- [16] M. Yannakakis. Computing the minimum fill-in is NP-complete. *SIAM J. Alg. Disc. Meth.*, 2:77–79, 1981.